



LED Strip Light

PROWEST[®]

DIY market LED strip kit

PROWEST®

- Complete set for easy DIY setting up.
- Ideal for installation in kitchens, bathrooms, caravans, lorries, cars, or motorcycle.
- Tester pack design get what we see.



PW7800 LED strip kit 60*SMD3528 IP65 with power supply & testing kit in blister

PW7806 LED strip kit 60*SMD2835 high lux, IP65 with power supply & testing kit in blister



PW7805 LED strip kit 60*SMD5050 IP65 RGB 3in1 color with IR controller, Power

PW7801 LED strip kit 60*SMD3528 IP65, R+G+B with IR controller, power supply & testing kit in blister

PW7809 LED strip kit 60*SMD2835 IP65 R+G+B with IR controller, power supply and testing kit in blister



Rainbow/Neon led tape (PU mixed with Phosphor)



Specification


PW7768 Rainbow Neon Led tape kit



DC 12V or DC24V Project Market LED strip

- Reliable quality with 2 years warranty
- full component for installation market

Special Color for Project Installation





Specification

PW7811	Led strip 60*SMD5050 RGBW 4 in 1 led strip
PW7812	Led Strip 60*SMD5050 Dual CCT 4 step 2000K-3000K-4000K-6000K
PW7813	led Strip 60*SMD5050 Dual CCT Warm white+Cool white
PW7814	Led Strip 60*SMD5050 Dual CCT by CRI 80-92 adjustable
PW7820	Led Strip 60*SMD3528 UV light strip
PW7821	Led Strip 60*SMD5050 UV light strip
PW7829	led strip high lux 1560lm/meter 60*SMD2835
PW7756	led strip high lux 3000lm/M 60*SMD5730 50-55lm
PW7833	Led strip IP68 60*SMD2835
PW7838	Led strip IP68 60*SMD5050 RGB

High-end UL approved(UL No.E337627)

Specification

PW7842	Led strip 60*SMD5050 UL approved led strip single color
PW7843	Led Strip 60*SMD5050 UL approved led strip RGB color




Led Tape 2016 IP20/IP65



Specification

PW7830	LED strip 60*SMD2835 economic white,20-22lm/pc
PW7831	Led strip IP65 60*SMD2835 white,10-12lm/pc, PROMOTION
PW7830-G	led strip 60*SMD2835 economic green
PW7830-B	Les strip 60*SMD2835 economic blue
PW7715	Led strip 60*SMD5050 RGB 3 in 1 economic
PW7835	led strip 60*SMD2835 durable white
PW7835-G	led strip 60*SMD2835 durable green
PW7835-B	led strip 60*SMD2835 durable blue
PW7840	Led strip 60*SMD5050 durable RGB
PW7839	led strip 60*SMD2835 project quality white
PW7841	Led strip 60*SMD5050 Project quality RGB



Intelligent LED Tape Kit

This incredible LED tape creates mesmerising and magical colour changing effects .

The controller addresses each LED independently to create numerous smooth , fluid, colour changing effects.

The tape can be easily extended for longer runs, creating a continuous cascade.

12.5cm
CUT
INTERVALS

4.8W
7.2W
per
METRE

BEAM ANGLE
120°

IP65

5m
REEL
LENGTH

- 99 modes with 10 speeds levels & 29 static colours with 10 brightness levels
- Extend up to a maximum of 50 metres
- Self-adhesive backing for easy installation



Model	PW7742	PW7743
Chip	60XSMD3528	60XSMD3528
Version	Master kit	Kit power

Model	PW7740	PW7741
Chip	30XSMD5050	30XSMD5050
Version	Master kit	Extension kit

Power supply12Vdc , 3A Current480mA per metre
 LED type.....SMD3528/SMD5050 Power consumption per metre.....4.8W max
 Light intensity per LED.....2000mcd Connectors.....5.5mm DC jack
 LED spacing.....21mm Max connection length......50 metres
 LED lifespan.....approx 50,000 hours Cross-section.....12x3mm



Master kit includes:

- 1 x 5m LED tape reel
- 12Vdc power supply
- LED controller with RF remote



Remote range...15metres(line of sight)
 Remote battery.....1xCR2025
 Weight.....550g

Extension kit includes:

- 1 x 5m LED tape reel
- 12Vdc power supply



Weight.....540g

LED power supply



Specification

PW7651	12V 2A power supply plug in
PW7652	12V 3A power supply plug in
PW7653	12V 5A power supply desktop
PW7654	12V 6A power supply desktop
PW7655	12V 8.3A power supply desktop



Specification

PW7672	30W led power supply waterproof
PW7673	40W led power supply waterproof
PW7674	50W led power supply waterproof
PW7675	60W led power supply waterproof
PW7676	100W led power supply waterproof
PW7677	120W led power supply waterproof

LED strip connection




Specification

PW7920	2 pin led strip straight connector for SMD3528
--------	--




Specification

PW7921	2pin led strip straight connector for SMD5050
--------	---



Specification

PW7922	led strip 4pin couple-type connector
PW7927	4 pin quick connector
PW7928	2 pin quick extension connector



Specification

PW7923	LED strip 4pin T-type connector
PW7924	LED strip 4pin L-type connector
PW7925	LED strip 4pin Cross type connector

LED strip controller



Specification

PW7930	IR type LED controller RGB 24Keys
--------	-----------------------------------



Specification

PW7931	IR type LED controller RGB 48keys
--------	-----------------------------------



Specification

PW7932	LED RGB/CCT dimmable controller smartphone WIFI controller
--------	--



Specification

PW7933	Mini single color LED controller
--------	----------------------------------



Specification

PW7935	mini smartphone LED WIFI RGB controller Via Bluetooth
--------	---



Specification

PW7936	mini LED RGB RF controller
--------	----------------------------



Specification



PW7937	mini LED dimmer RF controller
--------	-------------------------------




Specification

PW7938	mini LED RGB controller amplifier
--------	-----------------------------------



	Specification
PW7970	1m alu. Profile with clear or frosted diffuser 1M pc cover 2* bracket 2* end cap for flat profile




	Specification
PW7971	1M alu profile 45 degree with diffuser 2* bracket 2* end cap for 45 degree 1M pc cover




	Specification
PW7972	1M RECESSED ALUMINIUM PROFILE/EXTRUSION 1M pc cover 2* end cap for recessed




	Specification
PW7973	1M slim aluminium profile extrusion 2* end cap for slim thin



	Specification
PW7974	1M round aluminium profile extrusion 2* end cap for round




	Specification
PW7975	1M crowned aluminium profile extrusion 2* hanging string 1M cover 2 cover



LED strip suitable for freezer can replace tube

	Specification
	16*SMD5730/m, Length:1m/pc,voltage: 3V 2800-3200K/600-6500K/10000-13000K
PW7980-A	22lm/SMD5730
PW7980-B	34lm/SMD5730
PW7980-C	50lm/SMD5730



- Up to 100M length suitable for big event
- IP65 and high lumen for out-door operation

AC 110V or 220V LED strip for Projector market



Specification

PW7780	AC led strip 60*SMD5050 White/Warm white
PW7781	AC led strip 60*SMD5050 R/G/Y single color
PW7782	AC led strip 60*SMD5050 RGB 3in1
PW7783	AC led strip 60*SMD2835 200lm/M
PW7784	AC led strip 120*SMD2835 500lm/m
PW7785	AC led strip 180*SMD2835 800lm/m
PW7786	AC led strip 120*SMD3014 400lm
PW7787	AC led strip 240*SMD3014 800lm
PW7788	AC led strip 60*SMD5631 200lm
PW7789	AC led strip 120*SMD5631 400lm

Available option




PW7790	PW7791	PW7792	PW7793	PW7794
Power cord with rectifier for led strip light. (Waterproof Rectifier)	Power cord with rectifier for led strip light. (Non-waterproof Rectifier)	Connector for LED strip light	Clips for LED strip light	End cap for LED strip light




PW7795	PW7796	PW7797	PW7798	PW7799
Connector with cable for LED strip light (10cm)	Front Connect cable for LED strip light (RGB), length:25cm	Micro-Controller, 250W, 220V/110V (Max.Lighting:25M)	RGB Controller with remote control, 500W, 100-240V	RGB Controller, 1800W, 100-240V, with DMX interface, Touching control panel. (Max.Lighting:100M)

LED strip suitable for freezer can replace tube.



Connection diagram



PROWEST GROUP LIMITED
 Factory Address: No.32, street 3, Haisen building 4 floor, Xiasha Eco Development Zone, Hangzhou. China

T +86-571-2800 6156
 F +86-571-2800 6155
 E sales@prowestled.com
 www.prowestled.com